## **ON SCREEN TROUBLESHOOTING - FLEXBAKE 5™ Proof and Bake Oven**



<ul> <li>To enter the On-Screen Troubleshooting, press the icon in the upper right hand corner of the display screen.</li> <li>Press the "Tools" icon and enter PIN code 4567.</li> <li>Press the" Diagnostics" button.</li> </ul>	TOOLS     FAULT HISTORY     RUN HOURS     DATA LOG     DATA LOG     DIAGNOSTICS     DIAGNOSTICS     Conv. Speed Low     Conv. Fan On     Upper Damper     Lower Damper     Identity     Identity
Press "Main Heater"	Confirm that SSR1 and SSR2 have energized and have proper amp draw on output. (14a @ 208V – 12a @ 240V per relay)
Press "Aux Heater"	Confirm that SSR3 energized and has proper amp draw on output. (10a @208V - 8a @ 240V)
Press "Conv Speed Low" & "Conv. Fan On"	Confirm that the Speed Select Relay and the Winding Interlock Relay energize and motor runs at Low speed. Voltage at White and Yellow wires on convection motor. (208/240V)
Press "Conv Fan On" – Only	Confirm that Speed Select Relay and Winding Interlock Relay do <u>not</u> energize and motor runs at High Speed. Voltage at White and Black wires on convection motor. (208/240V) <i>NOTE: There is a programmed 30 second delay before motor will switch from</i> <i>low to high speed or vice versa (this is indicated on the touch screen display</i> <i>while in diagnostic mode).</i>
Press "Upper Damper"	Confirm output from <b>I/O</b> board "Top Vent Damper Motor" ( <i>Brown wire</i> ) to Upper damper motor. Damper is opened when voltage applied. (208/240V)
Press "Lower Damper"	Confirm output from <b>RPB</b> board "Bot Damper Motor" (Purple wire) to the Bottom Vent Damper. Damper is opened when voltage is applied (208/240V)
Press "Vent Fan"	Confirm output from <b>RPB</b> board "Powered Vent" (Yellow wire) to Top Vent Blower and blower runs. (208/240V)
Press "Drip/Cool Water"	Confirm output from <b>I/O</b> board "Drip/Cool Valve" (Gray wire) to water solenoid on top on oven and valve opens for 15 seconds. Run test 4 times, should get <b>9.7 ounce/285 milliliter,</b> of water collected in pan under fan. (208/240V)
Press "IVS" ( if oven has Integrated Ventilation System)	Confirm output from <b>RPB</b> board "IVS Hood" (White wire) to IVS Blower and blower runs. (208/240V)
Press "Lights"	Confirm output from <b>I/O</b> board "Oven Lights" (Yellow wire) to 12V transformer and lights come on. (208/240V)
"Door"	Open the oven door and "Door" indicator light will light, blower will shut off and heat will turn off.